



Pablo®
2024
NEW PRODUCT

See the Light

CELEBRATING
30 YEARS OF
ILLUMINATION

ABOUT PABLO DESIGNS

Pablo’s designs have been propelled to the forefront of American contemporary lighting by an uncompromising devotion to simplicity and utility. By fusing the highest technical sensibilities with the most appropriate material palette, Pablo is able to create unique, timeless designs with the power to transform any environment. Pablo was founded in San Francisco in 1993 by Venezuelan born industrial designer Pablo Pardo. Embracing a less-is-more ideology, Pablo frequently challenges traditional design metaphors, developing more practical solutions distilled down to their essence, form and light. A common thread links all of its creations, valuing permanence and sustainability, discarding the disposable mindset so prevalent today. Its mission is to create designs that deepen the relationship between objects, their users, and their environments.

FOUNDER / CREATIVE DIRECTOR

Pablo Pardo

With the creation of his first product in 1993, Pablo established a powerful and generative design philosophy. Since then, his core principles have informed the development of every light in the studio’s 28-year history. These products continue to move with culture while withstanding trends in design and each one carries the underlying uniqueness that is distinctly “Pablo.”



DESIGN COLLABORATIONS



Carmine Deganello

Based in Amsterdam and Milan, Deganello’s creative process begins with materiality and an empirical approach that is highly experimental. Research on materials and the ways in which they can unexpectedly drive the productive process is essential to his work. His lamp, Solis, is a product of Carmine’s shared sensibilities and long-term collaboration with Pablo. Deganello has worked extensively in Europe as well as the United States, his projects have been presented, among others, at the Triennale Design Museum as part of the New Italian Design collection and at the MAK Museum for applied and contemporary art in Vienna. He is a graduate of Florence’s Instituto Superiore per la Industrie Artistiche.



Fernando Pardo

Since lending his craftsmanship to companies such as Sony, Dell, Emblaer, Compaq, Pablo, BMW, and others, Pardo has been internationally recognized as a leading design thinker. His “Gina” car for BMW won the “Concept Car of the Year” award in 2008, and, in addition to being showcased in the BMW Museum in Munich, continues to serve as the foundation for the company’s contemporary auto designs. Most recently Pardo received a 2012 Red Dot Award for his lamp, PIXO, which he created with his twin brother, Pablo founder Pablo Pardo. Fernando is a graduate of the design program at the University of Cincinnati.



Pablo Studio

The Pablo Studio is a small group of makers and inventors with a diverse background in industrial design and craft, and a deep understanding of manufacturing, materials and technology. They aim to foster a sense of discovery and deeply personal utility in people’s interaction with objects. In beginning a new project, the team isolates a concept, meticulously refines it, and then reduces it to its central principle. The studio requires each design element to contribute to the essence of an object, following the Pablo philosophy of “less is more.” Pablo Studio works together to develop products that offer people unique experiences and broaden the field of lighting design.

PRODUCT FAMILIES



BOLA SPHERE
7-14



CANDÉL
15-18



CAROUSEL
19-28



T.O PENDANT
73-80




TOTEM
81-88



TOTEM TABLE
89-94



LUCI
29-36



NIVÉL PEDESTAL
37-40



NIVÉL TABLE & FLOOR
41-46



TOTEM WALL
95-102 FALL 2024



NIVÉL PENDANT
47-54



STELLA
55-62 FALL 2024



T.O
63-72

BOLA SPHERE

Bola Sphere is the basic foundation of the Bola Collection. Bola Sphere Pendant features an elemental interplay between post and sphere with a seductive opal blown glass shade available in 7 distinct sizes: 4" (10cm), 5" (13cm), 6" (15cm), 8" (20cm), 10" (25.5cm), 12" (30.5cm), and 16" (40cm) paired with a polished steel post in chrome, brass, rose gold, gunmetal, matte black and white finishes with mating canopies. Bola Sphere Pendant can also be suspended in exquisite Chandelier groupings that allow mixing of globe sizes for stunning displays in any residential, contract or hospitality setting alike. The Bola Sphere Flush brings equal ambiance and elegance to wall and ceiling surfaces combining 7 Globe sizes. Canopies are available in chrome, brass, matte black and white finishes. Bola Sphere Flush offers full range dimming light control to create the perfect setting for hospitality and living areas alike.

Designer:
Pablo Pardo + Pablo Studio 2019



BOLA SPHERE PENDANT

DESCRIPTION

The Bola Sphere pendant is the basic foundation of the Bola Collection, featuring an elemental interplay between post and sphere. Its seductive opal blown glass shade is available 7 distinct sizes (4" (10cm), 5" (13cm), 6" (15cm), 8" (20cm), 10" (25.5cm), 12" (30.5cm), and 16"(40cm) paired with a chromated stainless steel post in chrome, brass, rose gold, gunmetal, matte black and white with mating canopies. Bola Sphere is also available in exquisite chandelier groupings that allow mixing of globe sizes for stunning displays in any residential, contract or hospitality settings alike.

FIXTURE TYPE

Pendant

LIGHT SOURCE

Custom integrated LED, high-output chip on board

LIGHT CONTROL

Hard-wired, dimmable - Compatible with TRIAC/ELV and 0-10V dimmers

FEATURES

Fully Dimmable
Warm Dim

SPECIFICATIONS

Voltage: 120V-277V 50/60Hz
Power Consumption: 6W (4", 5"), 12W (6"), 20W (8", 10", 12", 16")
Color Temperature: 2700K-1800K (Warm Dim)
Luminosity: 290 Lumens (4"), 305 Lumens (5"), 800 Lumens (6"), 1625 Lumens (8", 10", 12", 16")
Luminaire Efficacy: 62 Lm/W(average)
Color Rendition Index: 95 CRI
50K hour lifespan
Cord Length: 8.9' (2.7m) (Field cuttable)

CERTIFICATIONS



FINISHES

BOLA SPHERE



CHROME



BRASS



ROSE GOLD



GUNMETAL





MATTE BLACK



MATTE WHITE

DIMENSIONS

BOLA SPHERE 4, 5, 6, 8, 10, 12, 16



PRODUCT CODES (ENTER GLOBE SIZE IN BLANK SPACE)

Bola Sphere __ (Chrome):	BOLA SPH __ CRM
Bola Sphere __ (Brass):	BOLA SPH __ BRA
Bola Sphere __ (Rose Gold):	BOLA SPH __ RGD
Bola Sphere __ (Gunmetal):	BOLA SPH __ GUN
Bola Sphere __ (Matte Black):	BOLA SPH __ BLK

PACKAGING WEIGHT AND DIMENSIONS

Bola Sphere 4	2.6LBS 1.2KG	10" X 9" X 8.5" 25cm X 23cm X 22cm
Bola Sphere 5	3LBS 1.4KG	10" X 9" X 8.5" 25cm X 23cm X 22cm
Bola Sphere 6	3.5LBS 1.6KG	11.5" X 9" X 10.5" 29cm X 23cm X 27cm
Bola Sphere 8	5LBS 2.28KG	12" X 12" X 12.25" 30cm X 30cm X 31cm
Bola Sphere 10	5.5LBS 2.5KG	14" X 14" X 16.5" 36cm X 36cm X 42cm
Bola Sphere 12	7.2LBS 3.3KG	18" X 18" X 18" 46cm X 46cm X 46cm
Bola Sphere 16	8LBS 3.6KG	20" X 20" X 20" 50cm X 50cm X 50cm

NOTES

3000K and 2700K CCT Models Available Upon Request.
Custom requests can be considered on volume orders



BOLA SPHERE FLUSH

DESCRIPTION
Flush mount versions are available in the full range of Bola globe sizes (4",5",6",8",10",12",16") paired with up to 4 premium canopy finishes. Lamps can be grouped in multi-axis configurations and sizes to provide delightful dots of illumination throughout any space.

FIXTURE TYPE
Wall/Ceiling

LIGHT SOURCE
Custom integrated LED, high-output chip on board

LIGHT CONTROL
Hard-wired, dimmable - Compatible with TRIAC/ELV and 0-10V dimmers

FEATURES
Fully Dimmable
Warm Dim

SPECIFICATIONS
Voltage: 120V-277V 50/60Hz
Power Consumption: 6W (4", 5"), 12W (6"), 20W (8", 10", 12", 16")
Color Temperature: 2700K-1800K (Warm Dim)
Luminosity: 290 Lumens (4"), 305 Lumens (5"), 800 Lumens (6"), 1625 Lumens (8", 10", 12", 16")
Luminaire Efficacy: 62 Lm/W(average)
Color Rendition Index: 95 CRI
50K hour lifespan

CERTIFICATIONS





FINISHES

BOLA SPHERE FLUSH



CHROME BRASS MATTE BLACK MATTE WHITE

DIMENSIONS

BOLA SPHERE FLUSH 4, 5, 6, 8, 10 , 12, 16

PRODUCT CODES (ENTER GLOBE SIZE IN BLANK SPACE)	
Bola Sphere Flush __ (Chrome):	BOLA SPH FSH __ CRM
Bola Sphere Flush __ (Brass):	BOLA SPH FSH __ BRA
Bola Sphere Flush __ (Matte Black):	BOLA SPH FSH __ BLK
Bola Sphere Flush __ (Matte White):	BOLA SPH FSH __ WHT

PACKAGING WEIGHT AND DIMENSIONS		
Bola Sphere 4	2.6LBS 1.2KG	10" X 9" X 8.5" 25cm X 23cm X 22cm
Bola Sphere 5	3LBS 1.4KG	10" X 9" X 8.5" 25cm X 23cm X 22cm
Bola Sphere 6	3.5LBS 1.6KG	11.5" X 9" X 10.5" 29cm X 23cm X 27cm
Bola Sphere 8	5LBS 2.28KG	12" X 12" X 12.25" 30cm X 30cm X 31cm
Bola Sphere 10	5.5LBS 2.5KG	14" X 14" X 16.5" 36cm X 36cm X 42cm
Bola Sphere 12	7.2LBS 3.3KG	18" X 18" X 18" 46cm X 46cm X46cm
Bola Sphere 16	8LBS 3.6KG	20" X 20" X 20" 50cm X 50cm X50cm

NOTES
3000K and 2700K CCT Models Available Upon Request.
Custom requests can be considered on volume orders






CANDÉL

Inspired by a cone of light, Candél's graceful vessel-like silhouette is in perfect harmony with its surroundings allowing the environment to filter through. Candél casts a warm, intimate candle-like glow that's sure to seduce and become the central focus of any social gathering. Candél is a fully rechargeable portable LED light designed for both indoors and outdoors. Features a robust PMMA body in Clear, Bronze or Smoke tint combined with a striking anodized aluminum light module available in anodized silver, black, brass, or matte white paint that offers capacitive touch light control to provide up to 4 light levels to set the perfect ambiance. Battery life ranges from 10 to 150+ hours depending on light intensity.

Designer:
Pablo Pardo + Pablo Studio 2020

Awards:
2020 Hospitality Design Product Award



CANDÉL

DESCRIPTION
Candél is a fully rechargeable portable LED light designed for both indoors and outdoors. Features a robust PMMA body in Clear, Bronze or Smoke tint combined with a striking anodized aluminum light module available in anodized silver, black, brass, or matte white paint. Candél uses capacitive touch technology for adjusting light intensity. Battery life: 10-150+ hours depending on light intensity.

FIXTURE TYPE
Portable

LIGHT SOURCE
LED High-Output chip on board

LIGHT CONTROL
Capacitive touch switch
4-stage dimming (100/70/30/7%)

FEATURES
Portable and rechargeable
10-150+hr battery life
USB charging cable included

SPECIFICATIONS
Power Consumption: 2W
Color Temperature: 2500-1800K (Warm Dim)
Luminosity: 110 Lumens
Luminaire Efficacy: 55 Lumens/Watt
Color Rendition Index: 94 CRI
Cable length: 6' (183cm)
IP Rating: IP20. IP54 Available upon request

CERTIFICATIONS



Intertek



FINISHES



DIMENSIONS



PACKAGING WEIGHT AND DIMENSIONS		
Candél:	1.5LBS	4" X 11.8"
	.68KG	10cm X 30cm



NOTES
Custom requests can be considered on volume orders



CAROUSEL

Carousel blurs the line between ambiance and utility combining a low setting wireless charging tray surface for your mobile devices with warm, glare-free illumination. It's low profile LED light module is discreetly concealed below its mating tray and suspended atop a transparent fluted acrylic cylinder diffuser that radiates mesmerizing light patterns onto the table surface below. Perfectly suited for desktop or bedside use, Carousel embodies a uniquely hybrid perspective on what a personal light can be. The base diffuser is offered in both clear and bronze tint and can be paired with a spun steel tray in Matte White, Terra Cotta, and Black finishes.

Designer:
Pablo Pardo + Pablo Studio 2022



CAROUSEL TABLE

DESCRIPTION
Carousel blurs the line between ambiance and utility combining a low setting wireless charging tray surface for your mobile devices with warm, glare-free illumination. It's low profile LED light module is discreetly concealed below its mating tray and suspended atop a transparent fluted acrylic cylinder diffuser that radiates mesmerizing light patterns onto the table surface below. Perfectly suited for desktop or bedside use, Carousel embodies a uniquely hybrid perspective on what a personal light can be. The base diffuser is offered in both clear and bronze tint and can be paired with a spun steel tray in White, Terracotta, and Black.

FIXTURE TYPE
Table

LIGHT SOURCE
Flat Panel LED

LIGHT CONTROL
Capacitive touch switch
3-stage dimming (100/40/10%)

FEATURES
Wireless charging w/ indicator light (2)
USB-C charging port

SPECIFICATIONS
Voltage: 120-240V 50/60Hz
Power Consumption: 7W
Color Temperature: 2700-2200K
Luminosity: 425 Lumens
Luminaire Efficacy: 61 Lumens/Watt
Color Rendition Index: 90 CRI
Cable length: 6' (183cm)

CERTIFICATIONS
 



FINISHES

DIFFUSER



CLEAR



BRONZE

TRAY



TERRACOTTA




WHITE



BLACK

DIMENSIONS

CAROUSEL TABLE



PACKAGING WEIGHT AND DIMENSIONS			
Carousel Table SM:	4.5LBS	14" X 14" X 12"	
	2KG	35cm X 35cm X 30cm	
Carousel Table LRG:	5LBS	14" X 14" X 12"	
	2.25KG	35cm X 35cm X 30cm	

NOTES
Custom requests can be considered on volume orders





CAROUSEL FLOOR

DESCRIPTION
Carousel blurs the line between ambiance and utility combining a low setting wireless charging tray surface for your mobile devices with warm, glare-free illumination. It's low profile LED light module is discreetly concealed below its mating tray and suspended atop a transparent fluted acrylic cylinder diffuser that radiates mesmerizing light patterns onto the table surface below. Perfectly suited for desktop or bedside use, Carousel embodies a uniquely hybrid perspective on what a personal light can be. The base diffuser is offered in both clear and bronze tint and can be paired with a spun steel tray in White, Terracotta, and Black.

FIXTURE TYPE
Floor

LIGHT SOURCE
Flat Panel LED

LIGHT CONTROL
Capacitive touch switch
3-stage dimming (100/40/10%)

FEATURES
Wireless charging w/ indicator light (2)
USB-C charging port

SPECIFICATIONS
Voltage: 120-240V 50/60Hz
Power Consumption: 7W
Color Temperature: 2700-2200K
Luminosity: 425 Lumens
Luminaire Efficacy: 61 Lumens/Watt
Color Rendition Index: 90 CRI
Cable length: 6' (183cm)

CERTIFICATIONS
 



FINISHES

DIFFUSER



CLEAR



BRONZE

TRAY



TERRACOTTA




WHITE



BLACK

DIMENSIONS

CAROUSEL FLOOR



PACKAGING WEIGHT AND DIMENSIONS		
Carousel Floor:	4.5LBS	17" X 17" X 20"
	2KG	43cm X 43cm X 50cm

NOTES
Custom requests can be considered on volume orders





LUCI

Luci is a fully rechargeable portable luminaire that allows you to take your ambiance wherever you go indoors and out. Defined by its simplicity of form and high tactile feel, Luci features an all-machined aluminum body that's premium to the touch and brings elegance to any intimate moment or social gathering. Representing the future of illumination, Luci features state of the art Dim to Warm light technology with 3 preset light level plus full range dimming which are activated via optical switch atop the shade. Luci also boasts a best-in-class battery life to provide many hours of untethered illumination between charges. Available in both table and floor standing models, Luci is offered in three anodized machine trace finishes in Silver, Brass, Black and textured Matte White.

Designer:
Pablo Pardo + Pablo Studio 2021



LUCI TABLE

DESCRIPTION
Luci is a fully rechargeable portable luminaire that allows you to take your ambiance wherever you go indoors and out. Defined by its simplicity of form and high tactile feel, Luci features an all-machined aluminum body that’s premium to the touch and brings elegance to any intimate moment or social gathering. Representing the future of illumination, Luci features state of the art Dim to Warm light technology with 3 preset light level plus full range dimming which are activated via optical switch atop the shade. Luci also boasts a best-in-class battery life to provide many hours of untethered illumination between charges. Luci Table is recharged via USB-C charging port located on the base. Available in both table and floor standing models, Luci is offered in three anodized machine trace finishes in Silver, Brass, Black and textured Matte White.

FIXTURE TYPE
Table

LIGHT SOURCE
Flat Panel LED

LIGHT CONTROL
Optical switch
Full range dimming (100-10%)
3-stage dimming (100/40/10%)

FEATURES
Portable and rechargeable
18-180 hr Battery life

SPECIFICATIONS
Power Consumption: 2.1W
Color Temperature: 2700K - 2200K (Warm dim)
Luminosity: 135 Lumens
Luminaire efficacy: 64 Lumens/Watt
Color Rendition Index: 90+ CRI
Cable Length: 6’ (182cm)(included)
IP Rating: IP20. IP54 Available upon request

CERTIFICATIONS


PACKAGING WEIGHT AND DIMENSIONS		
Luci Table:	2.5LBS	5.5" X 5.5" X 11.5"
	1.1KG	14cm X 14cm X 30cm

NOTES
Custom requests can be considered on volume orders



FINISHES

LUCI TABLE



BLACK



WHITE




SILVER



BRASS

DIMENSIONS

LUCI TABLE



LUCI FLOOR

DESCRIPTION

Luci is a fully rechargeable portable luminaire that allows you to take your ambiance wherever you go indoors and out. Defined by its simplicity of form and high tactile feel, Luci features an all-machined aluminum body that’s premium to the touch and brings elegance to any intimate moment or social gathering. Representing the future of illumination, Luci features state of the art Dim to Warm light technology with 3 preset light level plus full range dimming which are activated via optical switch atop the shade. Luci also boasts a best-in-class battery life to provide many hours of untethered illumination between charges. Available in both table and floor standing models, Luci is offered in three anodized machine trace finishes in Silver, Brass, Black and textured Matte White.

FIXTURE TYPE

Floor

LIGHT SOURCE

Flat panel LED

LIGHT CONTROL

Optical switch

Full range dimming (100-10%)

3-stage dimming (100/40/10%)

FEATURES

Portable and rechargeable

13-130 hr Battery life

SPECIFICATIONS

Voltage: 120-240V 50/60Hz

Power Consumption: 5.3W

Color Temperature: 2700K-2200K (warm dim)

Luminosity: 350 Lumens

Luminaire efficacy: 66 Lumens/Watt

Color Rendition Index: 90+ CRI

Cable Length: 9’(2.7m)

IP Rating: IP20. IP54 Available upon request

CERTIFICATIONS



PACKAGING WEIGHT AND DIMENSIONS

Luci Floor:	9LBS	11” X 23” X 3”
	4KG	28cm X 58cm X 7.6cm

NOTES

Custom requests can be considered on volume orders



FINISHES

LUCI FLOOR



WHITE



BLACK




BRASS



SILVER

DIMENSIONS

LUCI FLOOR






NIVÉL

At the intersection of truly functional lighting and furniture, Nivel brings warm and dynamic illumination to any residential, hospitality or work space. The Nivel portable collection consists of rechargeable, battery powered table and floorstanding lights that allow for freedom of movement to bring light to areas not serviced by power outlets. Perfect for indoor and outdoor entertaining, Nivel instantly becomes the focal point of any social gathering and can be easily toted by its solid wood post handle. Its cleverly designed shade/light engine assembly can be easily raised and lowered to any desired height around its crafted wooden post to provide maximum light control depending on user preference. Nivel portables are available in both pedestal floor and shaded table and floor models with 6 painted colorways in matted white, Terracotta, Forest Green, Slate Blue, Espresso and textured black and can be paired with either a white oak or walnut post. LED light engine features glare free flat panel light technology with best in class battery life of between 8-160 hours depending on light level.

Designer:
Pablo Pardo + Pablo Studio 2021



NIVÉL PEDESTAL

DESCRIPTION

At the intersection of functional lighting and furniture, you find Nivel. As an adjustable height side table, Nivel provides a totem to gather around. Portable and rechargeable, Nivel enables users to bring light to areas not serviced by power outlets. Sturdy enough to rest a few beverages atop while nimble enough to be raised or lowered at a moment’s notice. Its cleverly designed light module rests securely fastened around a solid wood post fastened to a powder-coated steel base for added footing. A soft ambient downward facing light panel completes the package, bringing an unobtrusive light source to your home or office space. The post is offered in both solid oak and walnut and can be paired with a powder-coated tray in White, Terracotta, and Black.

FIXTURE TYPE

Portable-rechargeable

LIGHT SOURCE

Flat Panel LED

LIGHT CONTROL

Capacitive touch switch

Full range dimming (100-10%)

3-stage dimming (100/40/10%)

FEATURES

Portable and rechargeable

Adjustable height tray surface

USB-C charging port

8-160 hr Battery life

SPECIFICATIONS

Voltage: 120-240V 50/60Hz

Power Consumption: 7W

Color Temperature: 2700-2200K (warm dim)

Luminosity: 425 Lumens

Luminaire Efficacy: 61 Lumens/Watt

Color Rendition Index: 95 CRI

Cord length 9’ (2.7m)

10W Charging block included

IP Rating: IP20. IP54 Available upon request

CERTIFICATIONS



PACKAGING WEIGHT AND DIMENSIONS

Nivel Pedestal LG	4.5LBS	17” X 17” X 4”
(Lamp, base and tray)	2KG	43cm X 43cm X 10cm
Nivel Pedestal LG	1.5LBS	2” X 2” X 50”
(Post)	.7KG	5cm X 5cm X 127cm
Nivel Pedestal SM	4.5LBS	14” X 14” X 4”
	2KG	35cm X 35cm X 10cm

NOTES

Custom requests can be considered on volume orders



FINISHES

POST



OAK



WALNUT

TRAY



WHITE




TERRACOTTA



BLACK

DIMENSIONS

NIVÉL PEDESTAL SMALL & LARGE



NIVÉL FLOOR

DESCRIPTION

At the intersection of functional lighting and furniture, you find Nivel. Nivel Floor is an adjustable height portable floor lamp. Perfect for indoor or outdoor use, Nivel provides a totem to gather around. Portable and rechargeable, Nivel enables users to bring light to areas not serviced by power outlets. Its cleverly designed light module rests securely fastened around a solid wood post fastened to a powdercoated steel base for added footing. A soft ambient downward facing light panel completes the package, bringing an unobtrusive light source to your home or office space. The post is offered in both solid oak and walnut and can be paired with a powder-coated shade in White, Terracotta, Forrest Green, Slate Blue, Espresso and textured black.

FIXTURE TYPE

Portable-rechargeable

LIGHT SOURCE

Flat Panel LED

LIGHT CONTROL

Capacitive touch switch

Full range dimming (100-10%)

3-stage dimming (100/40/10%)

FEATURES

Portable and rechargeable

Adjustable height tray surface

USB-C charging port

8-160 hr Battery life

SPECIFICATIONS

Voltage: 120-240V 50/60Hz

Power Consumption: 7W

Color Temperature: 2700-2200K (warm dim)

Luminosity: 425 Lumens

Luminaire Efficacy: 61 Lumens/Watt

Color Rendition Index: 95 CRI

Cord length 9' (2.7m)

10W Charging block included

IP Rating: IP20. IP54 Available upon request

CERTIFICATIONS



PACKAGING WEIGHT AND DIMENSIONS

Nivel Floor	4.5LBS	17" X 17" X 4"
(Lamp, base and tray)	2KG	43cm X 43cm X 10cm
Nivel Floor	1.5LBS	2" X 2" X 50"
(Post)	.7KG	5cm X 5cm X 127cm

NOTES

Custom requests can be considered on volume orders



FINISHES

WOOD



OAK



WALNUT

SHADE



BLACK



WHITE



TERRACOTTA



FOREST




SLATE BLUE



ESPRESSO

DIMENSIONS

NIVÉL FLOOR





NIVÉL TABLE

DESCRIPTION

At the intersection of functional lighting and furniture, you find Nivel. Nivel Table is an adjustable height portable light companion. Perfect for indoor or outdoor use, Nivel provides a totem to gather around. Portable and rechargeable, Nivel enables users to bring light to areas not serviced by power outlets. Its cleverly designed light module rests securely fastened around a solid wood post fastened to a powder-coated steel base for added footing. A soft ambient downward facing light panel completes the package, bringing an unobtrusive light source to your home or office space. The post is offered in both solid oak and walnut and can be paired with a powder-coated shade in white, Terracotta, Forest Green, Slate Blue, Espresso and textured black.

FIXTURE TYPE

Portable-rechargeable

LIGHT SOURCE

High output LED array

LIGHT CONTROL

Capacitive touch switch

Full range dimming (100-10%)

3-stage dimming (100/40/10%)

FEATURES

Portable and rechargeable

Adjustable height tray surface

USB-C charging port

8-160 hr Battery life

SPECIFICATIONS

Voltage: 120-240V 50/60Hz

Power Consumption: 7W

Color Temperature: 2700-2200K (warm dim)

Luminosity: 425 Lumens

Luminaire Efficacy: 61 Lumens/Watt

Color Rendition Index: 95 CRI

Cord length 9' (2.7m)

10W Charging block included

IP Rating: IP20. IP54 Available upon request

CERTIFICATIONS



FINISHES

WOOD



OAK



WALNUT

SHADE



BLACK



WHITE



TERRACOTTA



FOREST





SLATE BLUE



ESPRESSO

DIMENSIONS

NIVÉL TABLE



PACKAGING WEIGHT AND DIMENSIONS

Nivel	4.5LBS	14" X 14" X 4"
(Lamp, base and tray)	2KG	35cm X 35cm X 10cm
Nivel	1.5LBS	2" X 2" X 24"
(Post)	.7KG	5cm X 5cm X 61cm

NOTES


Custom requests can be considered on volume orders



NIVÉL PENDANT

Redefining the future in pendant illumination, Nivel's pure and elegant silhouette features a colorful pallet of spun shade forms combined with an articulating flat panel LED light engine that pivots gracefully on axis to focus light downward or as a wall wash to provide seamless light control for any space. Nivel pendant can be suspended individually or in large multi-light clusters powered by a single hardwired canopy allowing the user to reposition the lights to any desired height, span and directionality. Available in 2 sizes: 15" (38cm) and 22" (56cm) and 6 powder coated finishes in Matte White, Terracotta, Forest Green, Slate Blue, Espresso and textured black with choice of black or white fabric cord and ceiling canopy. Nivel is also be available in flush-mount variations for both sizes.

Designer:
Pablo Pardo + Pablo Studio 2022



NIVÉL PENDANT

DESCRIPTION

Redefining the future in pendant illumination, Nivel’s pure and elegant silhouette features a colorful pallet of spun shade forms combined with an articulating flat panel LED light engine that pivots gracefully on axis to focus light downward or as a wall wash to provide seamless light control for any space. Nivel pendant can be suspended individually or in large multi-light clusters powered by a single hardwired canopy allowing the user to reposition the lights to any desired height, span and directionality. Available in 2 sizes: 15”(38cm) and 22” (56cm) and 6 powder coated finishes in Matte White, Terracotta, Forest Green, Slate Blue, Espresso and textured black with choice of black or white fabric cord and ceiling canopy.

FIXTURE TYPE

Pendant

LIGHT SOURCE

LED Flat-Panel

LIGHT CONTROL

Hard-wired, dimmable
Compatible with TRIAC/ELV and 0-10V dimmers

FEATURES

45° shade tilt in two directions

SPECIFICATIONS

Voltage: 120-240V 50/60Hz
Power Consumption: 10.5W
Color Temperature: 2700K
Luminosity: 555 Lumens (Nivel 15), 740 Lumens (Nivel 22)
Luminaire Efficacy: 53 Lumens/Watt (Nivel 15), 70 Lumens/Watt (Nivel 22)
Color Rendition Index: 90 CRI
Title 20 compliant
50K hour lifespan
Cord length 10’ (305cm)

CERTIFICATIONS



PACKAGING WEIGHT AND DIMENSIONS

Nivel Pendant 15	7LBS	17" X 17" X 5"
	3KG	43cm X 43cm X 12cm
Nivel Pendant 22	11LBS	24" X 24" X 6"
	5KG	60cm X 60cm X 15cm

NOTES

Custom requests can be considered on volume orders



FINISHES

CORD



BLACK



WHITE

SHADE



BLACK



WHITE



TERRACOTTA



FOREST




SLATE



ESPRESSO

DIMENSIONS

NIVÉL PENDANT





NIVÉL FLUSH

DESCRIPTION
Nivel's pure and elegant silhouette features a colorful pallet of spun shade forms combined with a flat panel LED light engine. Nivel flush can be mounted in both ceiling and wall situations Available in 2 sizes: 15"(38cm) and 22" (56cm) and 6 powder coated finishes in Matte White, Terracotta, Forest Green, Slate Blue, Espresso and textured black paired with a white canopy assembly.

FIXTURE TYPE
Wall/Ceiling

LIGHT SOURCE
LED Flat-Panel

LIGHT CONTROL
Hard-wired, dimmable
Compatible with TRIAC/ELV and 0-10V dimmers

FEATURES
Full-range dim

SPECIFICATIONS
Voltage: 120-240V 50/60Hz
Power Consumption: 10.5W
Color Temperature: 2700K
Luminosity: 740 Lumens
Luminaire Efficacy: 70 Lumens/Watt
Color Rendition Index: 90 CRI
Title 20 compliant
50K hour lifespan


CERTIFICATIONS
 

PACKAGING WEIGHT AND DIMENSIONS			
Nivel Flush 15	7LBS	17" X 17" X 5"	
	3KG	43cm X 43cm X 12cm	
Nivel Flush 22	11LBS	24" X 24" X 6"	
	5KG	60cm X 60cm X 15cm	


NOTES
Custom requests can be considered on volume orders



FINISHES





DIMENSIONS



STELLA

Stella is a dynamic pendant light that can be effortlessly expanded to a wide range of sizes from 10" (25.4 cm) to 55" (140cm) in diameter depending on user needs. Made up of multiple interwoven aluminum arm segments with strategically placed pivot joints, this dynamic fixture transforms from inward facing illumination to downward facing direct lighting when expanded outward. Stella's highly versatile suspension system also allows for inverting the fixture to provide upward facing direct lighting, all in a single fixture. Stella is offered in matte black and matte ivory white painted finishes. Its playful and highly interactive design invites a new kind of relationship with the light source. Ideally suited over table surfaces, entryway foyers, or in expansive chandelier groupings.

Designer:
Pablo Pardo + Fernando Pardo + Pablo Studio 2024



STELLA

DESCRIPTION

Stella is a dynamic pendant light that can be effortlessly expanded to a wide range of sizes from 10”(25.4 cm) to 55” (140cm) in diameter depending on user needs. Made up of multiple interwoven aluminum arm segments with strategically placed pivot joints, this dynamic fixture transforms from inward facing illumination to downward facing direct lighting when expanded outward. Stella’s highly versatile suspension system also allows for inverting the fixture to provide upward facing indirect lighting, all in a single fixture. Stella is offered in matte black and matte ivory white painted finishes. Its playful and highly interactive design invites a new kind of relationship with the light source. Ideally suited over table surfaces, entryway foyers, or in expansive chandelier groupings.

FIXTURE TYPE

Pendant

LIGHT SOURCE

Linear COB

LIGHT CONTROL

Hard-wired, dimmable
Compatible with TRIAC/ELV and 0-10V dimmers

FEATURES

Expandable shade
Transforms from ambient to direct lightsource
Fully dimmable

SPECIFICATIONS

Voltage: 120-277V 50/60Hz
Power Consumption: 45W
Color Temperature: 2700K or 3000K
Luminosity: 1700 Lumens
Luminaire Efficacy: 38 Lumens/Watt
Color Rendition Index: 90 CRI
Title 20 compliant
50K hour lifespan
Cord length 10’ (305cm)

CERTIFICATIONS




PACKAGING WEIGHT AND DIMENSIONS

Stella 16	11LBS	26” X 15” X 15”
	5KG	65cm X 36cm X 36cm

NOTES

Custom requests can be considered on volume orders



FINISHES

LAMP AND CANOPY







BLACK




WHITE

DIMENSIONS

STELLA 16









T.O

T.O celebrates and reinforces the importance of light as a pillar of our daily life. A monolithic column stands to support a horizontal and vertical line of light to provide precise light control in all directions. T.O embodies a harmonious dialogue between solidity and lightness offering unlimited contexts for use in residential and workplace environments, all within a minimal footprint. T.O features a fully dimmable LED light source with tactile push switch appropriately positioned at the end of arm. Both table and floor versions feature a magnetically attached light arm over a marble cylinder base while the light wand can be rotated up to 360 degrees to provide both direct and indirect light for task and ambient lighting needs alike. T.O is offered in 2 marble base finishes in Marquina black and Carrara white while the light arm is elegantly contrasted in polished surfaces in brass and chrome. T.O is a seamless integration of functional lighting and sculpture.

Designer:
Carmine Deganello + Pablo Studio 2021



T.O TABLE

DESCRIPTION
T.O celebrates and reinforces the importance of light as a pillar of our daily life. A monolithic column stands to support a horizontal and vertical line of light to provide precise light control in all directions. T.O embodies a harmonious dialogue between solidity and lightness offering unlimited contexts for use in residential and workplace environments, all within a minimal footprint. T.O features a fully dimmable LED light source with tactile push switch appropriately positioned at the end of arm. Both table and floor versions feature a magnetically attached light arm over a marble cylinder base while the light wand can be rotated up to 360 degrees to provide both direct and indirect light for task and ambient lighting needs alike. T.O is offered in 2 matte base finishes in Marquina black and Carrara white while the light arm is elegantly contrasted in polished surfaces in brass and chrome. T.O is a seamless integration of functional lighting and sculpture.

FIXTURE TYPE
Table

LIGHT SOURCE
High output LED array

LIGHT CONTROL
Mechanical push button
Full range dimming (100-10%)
2-stage dimming (100/40/%)

FEATURES
360° arm rotation
Advanced LED array eliminates multiple shadows

SPECIFICATIONS
Voltage: 120-240V 50/60Hz
Power Consumption: 4.5W
Color Temperature: 3000K
Luminosity: 220 Lumens
Luminaire efficacy: 49 Lumens/Watt
Color Rendition Index: 90 CRI
Cord length: 6' (1.8m)

CERTIFICATIONS


PACKAGING WEIGHT AND DIMENSIONS		
T.O Table	8LBS	6" X 6" X 15.75"
	4KG	15cm X 15cm X 40cm

NOTES
Custom requests can be considered on volume orders



FINISHES

BASE





MARQUINA BLACK CARRARA WHITE

ARM



BRASS CHROME

DIMENSIONS
T.O TABLE





T.O FLOOR

DESCRIPTION

T.O celebrates and reinforces the importance of light as a pillar of our daily life. A monolithic column stands to support a vertical line of light to provide precise light control. T.O embodies a harmonious dialogue between solidity and lightness offering unlimited contexts for use in residential and workplace environments, all within a minimal footprint. T.O features a fully dimmable LED light source with tactile push switch appropriately positioned at the end of arm. Both table and floor versions feature a magnetically attached light arm over a marble cylinder base while the light wand can be rotated up to 360 degrees to provide both direct and indirect light for task and ambient lighting needs alike. T.O is offered in 2 matte base finishes in Marquina black and Carrara white while the light arm is elegantly contrasted in polished surfaces in brass and chrome. T.O is a seamless integration of functional lighting and sculpture.

FIXTURE TYPE

Floor

LIGHT SOURCE

High output LED array

LIGHT CONTROL

Mechanical push button

Full range dimming (100-10%)

2-stage dimming (100/40%)

FEATURES

360° arm rotation

Advanced LED array eliminates multiple shadows

SPECIFICATIONS

Voltage: 120-240V 50/60Hz

Power Consumption: 10W

Color Temperature: 3000K

Luminosity: 750 Lumens

Luminaire efficacy: 75 Lumens/Watt

Color Rendition Index: 90 CRI

Cable Length: 6' (1.8m)

CERTIFICATIONS



PACKAGING WEIGHT AND DIMENSIONS

T.O Floor	9.5LBS	6.25" X 6.25" X 16"
(Base)	4.3KG	16cm X 16cm X 40cm
T.O Floor	2.3LBS	2.25" X 64"
(Lamp arm)	1KG	5.7cm X 162cm

NOTES

Custom requests can be considered on volume orders



FINISHES

BASE



MARQUINA BLACK



CARRARA WHITE

ARM




BRASS



CHROME

DIMENSIONS

T.O FLOOR







T.O PENDANT

T.O Pendant celebrates the importance of light as a pillar of daily life. T.O features an elegant wand of light suspended by two decorative woven nylon belts finished with over-molded features that allow for full 360-degree rotation to direct light in all directions. T.O Pendant can transform from a direct task-oriented light to indirect ambience with minimal effort. It's suspension system allows for ultimate freedom and creativity to suspend in a wide variety of configurations from a linear series, to multi-axis and multi-level groupings to create stunning displays for residential and workplace environments alike. T.O Pendant's is offered in Polished Chrome, Matte Black, and Matte Grey finishes paired with suspension belts in Burnt Orange, Graphite, and Light Grey and can be mixed and matched to any desire.

Designer:
Carmine Deganello + Pablo Studio 2022



T.O PENDANT

DESCRIPTION

T.O Pendant celebrates the importance of light as a pillar of daily life. T.O features an elegant wand of light suspended by two decorative woven nylon belts finished with over-molded features that allow for full 360-degree rotation to direct light in all directions. T.O Pendant can transform from a direct task-oriented light to indirect ambience with minimal effort. It's suspension system allows for ultimate freedom and creativity to suspend in a wide variety of configurations from a linear series, to multi-axis and multi-level groupings to create stunning displays for residential and workplace environments alike. T.O Pendant's is offered in Polished Chrome, Matte Black and Matte Grey finishes paired with colorful suspension belts in Burnt Orange, Graphite, and Light Grey and can be mixed and matched to any desire.

FIXTURE TYPE

Pendant

LIGHT SOURCE

High output LED array

LIGHT CONTROL

Mechanical push button

Full range dimming (100-10%)

2-stage dimming (100/40%)

FEATURES

360° arm rotation

Advanced LED array eliminates multiple shadows

SPECIFICATIONS

Voltage: 120-240V 50/60Hz

Power Consumption: 10W

Color Temperature: 2700K

Luminosity: 750 Lumens

Luminaire efficacy: 75 Lumens/Watt

Color Rendition Index: 90 CRI

Cable Length: 10' (3m)

Belt Length: 10' (3m)

CERTIFICATIONS



PRODUCT CODES

T.O Pendant (Black/Graphite):	TO PND BLK GPT
T.O Pendant (Black/Light Grey):	TO PND BLK GRY
T.O Pendant (Black/Burnt Orange):	TO PND BLK ORG
T.O Pendant (Chrome/Graphite):	TO PND CRM GPT
T.O Pendant (Chrome/Light Grey):	TO PND CRM GRY
T.O Pendant (Chrome/Burnt Orange):	TO PND CRM ORG
T.O Pendant (Grey/Graphite):	TO PND GRY GPT
T.O Pendant (Grey/Light Grey):	TO PND GRY GRY
T.O Pendant (Grey/Burnt Orange):	TO PND GRY ORG

PACKAGING WEIGHT AND DIMENSIONS

T.O Pendant:	2.5LBS	3" X 6" X 57"
(Lamp)	1.1KGS	7.6cm X 15cm X 145cm
T.O Pendant:	1.5LBS	10" X 8.25" X 4.3"
(Accessories)	.7KGS	25.5cm X 21cm X 11cm

NOTES

Custom requests can be considered on volume orders



FINISHES

SUSPENSION BELT



BURNT ORANGE



GRAPHITE



LIGHT GREY

LAMP



CHROME




MATTE BLACK



MATTE GREY

DIMENSIONS



T.O PENDANT




T.O PENDANT 2 STACK



T.O PENDANT 3 STACK



Universal Canopy with Belt Mount



T.O Pendant 2 and 3 Stack


*Available in 2 and 3 Stack configurations using add-on 5"(12.7cm) Belt Connectors.



TOTEM

Totem is a versatile pendant lighting collection comprised of exquisitely blown opal glass shades designed around a modular platform. Totem's soft, pure white geometric forms provide a charming interplay of unique combinations to provide warmth and elegance to any space. Users can select from 4 shade styles (A,B,C,D) to mix and match to create an ensemble of 20 unique pendant combinations. Totem provides both direct and indirect illumination by employing a two-part LED light engine that provides both uplight and downlight resulting in a warm and dimmable ambient glow projecting through its softly diffused glass structure. Totem singles can be used in flush mount down-light only scenarios as well.

Designer:
Pablo Pardo + Pablo Studio 2022





TOTEM

DESCRIPTION

Totem is a versatile pendant lighting collection comprised of exquisitely blown opal glass shades designed around a modular platform. Totem's soft, pure white geometric forms provide a charming interplay of unique combinations to provide warmth and elegance to any space. Users can select from 4 shade styles (A,B,C,D) to mix and match to create an ensemble of 20 unique pendant combinations. Totem provides both direct and indirect illumination by employing a two-part LED light engine that provides both uplight and downlight resulting in a warm and dimmable ambient glow projecting through its softly diffused glass structure. Totem singles can be used in flush mount down-light only scenarios as well.

FIXTURE TYPE

Pendant

LIGHT SOURCE

High output LED array

LIGHT CONTROL

Hard-wired, dimmable - Compatible with TRIAC/ELV dimmers (0-10V dimming available upon request)

FEATURES

- Fully Dimmable
- Warm Dim
- 20 Unique Pendant Combinations
- Uplight/Downlight

SPECIFICATIONS

Voltage: 120V 50/60Hz (120-277V 0-10V driver available by request)
Power Consumption: 13W (Down, Flush), 18W (Up/Down)
Color Temperature: 2700-2200K DTW (Dim-to-Warm)
Luminosity: 1400 Lumens (Down, Flush), 1800 Lumens Total (Up/Down - 1400down/400up)
Luminaire efficacy: 108 Lumens/Watt (Down, Flush), 100 Lumens/Watt (Up/Down)
Color Rendition Index: 90 CRI
Cable Length: 10' (3m)

CERTIFICATIONS



PRODUCT CODES

(ENTER SHADE CODES IN BLANK SPACE, BOTTOM SHADE FIRST)

Totem Up/Down	TOTE UPDWN
Totem Down	TOTE DWN
Totem Flush	TOTE FSH

PACKAGING WEIGHT AND DIMENSIONS

Totem A:	8LBS	20" X 20" X 20"
(Shade)	3.6KGS	50cm X 50cm X 50cm
Totem B:	6.5LBS	17" X 17" X 15"
(Shade)	3KGS	43cm X 43cm X 38cm
Totem C:	4LBS	16.5" X 16.5" X 10"
(Shade)	1.8KGS	42cm X 42cm X 25cm
Totem D:	3.3LBS	22" X 22" X 9"
(Shade)	1.5KGS	56cm X 56cm X 23cm
Totem Lamp:	3.4LBS	9" X 7" X 9"
(Light Source)	1.5KGS	23cm X 18cm X 23cm

NOTES

Custom requests can be considered on volume orders



FINISHES

CANOPY



WHITE





SHADE







OPAL GLASS

DIMENSIONS

TOTEM PENDANT



TOTEM FLUSH






TOTEM TABLE

Totem is a classic and highly versatile LED lighting system comprised of exquisitely blown opal glass shades designed around a modular platform. Totem's soft, pure white geometric forms provide a charming interplay of unique and rhythmic shade groupings to add warmth and elegance to any space. Totem Table combines 3 foundational shade sizes to create up to 7 curated single and dual shade lamp configurations ranging from 8.5" (21.5cm) to 24.5" (62cm) in height. Totem's soft and ambient light source comes standard with fully dimmable 2700K (Dim to Warm) LED technology with fabric sleeved cord set with rotary dimmer.

Designer:
Pablo Pardo + Pablo Studio 2023



TOTEM TABLE

DESCRIPTION

Totem is a classic and highly versatile LED lighting system comprised of exquisitely blown opal glass shades designed around a modular platform. Totem’s soft, pure white geometric forms provide a charming interplay of unique and rhythmic shade groupings to add warmth and elegance to any space. Totem Table combines 3 foundational shade sizes to create up to 7 curated single and dual shade lamp configurations ranging from 8.5”(21.5cm) to 24.5”(62cm) in height. Totem’s soft and ambient light source comes standard with fully dimmable 2700K (Dim to Warm) LED technology with fabric sleeved cord set with rotary dimmer.

FIXTURE TYPE

Table

LIGHT SOURCE

High output LED array

LIGHT CONTROL

Fully dimmable

FEATURES

In-line Dimmer

SPECIFICATIONS

Voltage : 120-240V 50/60Hz

Power Consumption : 20W

Color Temperature : 2700-2200K DTW(Dim to Warm)

Luminosity : 1400 Lumens (single shade)

1800 Lumens (double shade)

Luminaire efficacy : 90 Lumens/Watt

Color Rendition Index: 90 CRI

Cable length: 6’ (1.8m)

CERTIFICATIONS



PRODUCT CODES

Totem Table (A)	TOTE TBL A
Totem Table (B)	TOTE TBL B
Totem Table (CC)	TOTE TBL CC
Totem Table (CB)	TOTE TBL CB
Totem Table (CA)	TOTE TBL CA
Totem Table (BB)	TOTE TBL BB
Totem Table (BA)	TOTE TBL BA

PACKAGING WEIGHT AND DIMENSIONS

Totem A:	8LBS	20” X 20” X 20”
(Shade)	3.6KGS	50cm X 50cm X 50cm
Totem B:	6.5LBS	17” X 17” X 15”
(Shade)	3KGS	43cm X 43cm X 38cm
Totem C:	4LBS	16.5” X 16.5” X 10”
(Shade)	1.8KGS	42cm X 42cm X 25cm
Totem Lamp:	3.4LBS	9” X 7” X 9”
(Light Source)	1.5KGS	23cm X 18cm X 23cm

NOTES

Custom requests can be considered on volume orders



FINISHES


SHADE




OPAL GLASS

DIMENSIONS

TOTEM TABLE SINGLE



TOTEM TABLE DOUBLE









TOTEM WALL

Totem Wall takes its elegant form and materials from the pendant and table models and cleanly ushers a captivating light unto any wall and ceiling. The compact and versatile Totem Puck features glare free illumination with field selectable LED CCT (2700K / 3000K / 3500) and is available in warm white, dove gray, black and walnut finishes. Totem Sconce adds a crafted mouth blown glass shade in opal white, clear, smoke and amber finishes to accentuate the light effect as it filters through the glass. Ideal for lining multiples in hallway corridors or providing soft indirect illumination for modern living areas, bathrooms and bedroom applications.

Designer:
Pablo Pardo + Pablo Studio 2024



TOTEM PUCK

DESCRIPTION

Totem Puck takes its elegant form and materials from the pendant and table models and cleanly ushers a captivating light unto any wall and ceiling. The compact and versatile Totem Puck features glare free illumination with field selectable LED CCT (2700K / 3000K / 3500) and is available in warm white, dove gray, black or walnut finishes. Ideal for lining multiples in hallway corridors or providing soft indirect illumination for modern living areas, bathrooms and bedroom applications.

FIXTURE TYPE

Wall/Ceiling

LIGHT SOURCE

High output LED array

LIGHT CONTROL

Hard-wired, dimmable
Compatible with TRIAC/ELV and 0-10V dimmers

FEATURES

Fully dimmable
Color temperature selection at time of installation

SPECIFICATIONS

Voltage: 120-240V 50/60Hz
Power Consumption: 8W
Color Temperature: 2700K -or- 3000K -or- 3500K CCT
(On-board switch allows CCT choice at time of installation)
Luminosity: 500 Lumens
Luminaire efficacy: 62.5 Lumens/Watt
Color Rendition Index: 90 CRI
ADA compliant

CERTIFICATIONS



FINISHES

TOTEM PUCK



MATTE WHITE



MATTE GREY




MATTE BLACK



WALNUT/
MATTE BLACK

DIMENSIONS

TOTEM PUCK



PACKAGING WEIGHT AND DIMENSIONS

Totem Puck:	8LBS	20" X 20" X 20"
(Lamp)	3.6KGS	50cm X 50cm X 50cm

NOTES

Custom requests can be considered on volume orders

***Available Fall 2024**



TOTEM SCONCE

DESCRIPTION

Totem Sconce takes its elegant form and materials from the pendant and table models and cleanly ushers a captivating light unto any wall and ceiling. The lamp features glare free illumination with field selectable LED CCT (2700K / 3000K / 3500) and is available in warm white, dove gray, black and walnut finishes. Totem Sconce adds a crafted mouth blown glass shade in opal white, clear, smoke and amber finishes to accentuate the light effect as it filters through the glass. Ideal for lining multiples in hallway corridors or providing soft indirect illumination for modern living areas, bathrooms and bedroom applications.

Designer:
Pablo Pardo + Pablo Studio 2024

FIXTURE TYPE

Wall/Ceiling

LIGHT SOURCE

High output LED array

LIGHT CONTROL

Hard-wired, dimmable
Compatible with TRIAC/ELV and 0-10V dimmers

FEATURES

Fully dimmable
Color temperature selection at time of installation

SPECIFICATIONS

Voltage: 120-240V 50/60Hz
Power Consumption: 8W
Color Temperature: 2700K -or- 3000K -or- 3500K CCT, on-board switch allows CCT choice at time of installation
Luminosity: 500 Lumens
Luminaire efficacy: 62.5 Lumens/Watt
Color Rendition Index: 90 CRI
ADA compliant

CERTIFICATIONS



FINISHES

LAMP TOP COVER/CANOPY



GLOSS WHITE/
MATTE WHITE



GLOSS GREY/
MATTE GREY



GLOSS BLACK/
MATTE BLACK



WALNUT/
MATTE BLACK

SHADE



OPAL WHITE



CLEAR




SMOKE



AMBER

DIMENSIONS

TOTEM SCONCE



PACKAGING WEIGHT AND DIMENSIONS









Totem Puck:	8LBS	20" X 20" X 20"
(Lamp)	3.6KGS	50cm X 50cm X 50cm
Totem Sconce:	6.5LBS	17" X 17" X 15"
(Shade)	3KGS	43cm X 43cm X 38cm

NOTES

Custom requests can be considered on volume orders
***Available Fall 2024**








Pablo
CELEBRATING
30 YEARS OF
ILLUMINATION

DISTRIBUTORS

Pablo®

INFO@PABLODESIGNS.COM
888 MARIN STREET
SAN FRANCISCO, CA 94124
USA T: +1 415 865 5000
F: +1 415 865 0500
PABLODESIGNS.COM

INFO@PABLODESIGNS.EU
Netherlands +31 31 872 8107
PABLODESIGNS.EU



Pablo®

INFO@PABLODESIGNS.COM
888 MARIN STREET
SAN FRANCISCO, CA 94124
USA T: +1 415 865 5000
F: +1 415 865 0500
PABLODESIGNS.COM

INFO@PABLODESIGNS.EU
Netherlands +31 31 872 8107
PABLODESIGNS.EU